


Deere VPN-S installation instructions for Cisco AnyConnect

Cisco AnyConnect is John Deere's vpn solution. Please follow the instructions below to access the Deere network.


- 1) Browse to <http://remoteaccess.deere.com> and enter your RACF credentials.
- 2) Under Supplier Access click on 'Cisco - Suppliers connecting using DEEREVPN – S'
- 3) Read through information and scroll down.
- 4) Click on 'Cisco AnyConnect Installer' and download file to your computer.
- 5) Search for CiscoAnyConnect.msi in the folder in which you downloaded the install file.
- 6) Double-click on CiscoAnyConnect.msi
- 7) Follow the prompts to install AnyConnect by clicking on 'Next'




- a. Access license requirements and click on 'Next'




- b. Click on 'Install'



- c. Click on 'Finish'





- d. Go to start menu and click on 'Cisco' then 'Cisco AnyConnect Secure Mobility Client' in the blank drop-down box type: <https://jdvpn-s.deere.com> as seen below.



- e.
f. Click on 'Connect'
g. Enter in your login and password followed by the chosen form of multi-factor authentication when user registered in Okta.





- h. Once entered you'll connect to the Deere network and in your system try on bottom right of computer is the AnyConnect icon . When VPN is connected it will display a key lock as shown in the image. To disconnect from VPN double-click on it and then click disconnect.



i.

- 8) You can now access your applications as configured for your setup.

Note: The next time you connect to the Deere network you will only need to click on 'Deere VPN-S' from the dropdown and click on 'Connect.' Proceed to login as you normally would.